

STATE OF COLORADO

Roy Romer, Governor
Patti Shwayder, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.
Denver, Colorado 80222-1530
Phone (303) 692-2000

Laboratory Building
4210 E. 11th Avenue
Denver, Colorado 80220-3716
(303) 691-4700



Colorado Department
of Public Health
and Environment

July 8, 1996

Mr. L. John Woodrum, Plant Manager
Ashland Chemical Company
156 W 56th Avenue
Denver, Colorado 80216

RE: Hazardous Waste Inspection
EPA ID# COT 090010026
Warning Letter Close-Out

Dear Mr. Woodrum,

Thank you for your letter of June 21, 1996 responding to our May 28, 1996 warning letter. We have reviewed the material you enclosed and find that it adequately addresses the concerns expressed in the warning letter.

At this time, we intend to take no further action in this case. However, please be aware that Ashland Chemical Company must remain in compliance with the Colorado hazardous waste regulations pertaining to its activities.

If you have any questions, please feel free to contact me at 692-3351.

Sincerely,

Nancy L. Newell

Nancy L. Newell

cc: Linda Jacobson, EPA
Thomas Burns, EPA